



DESIGNED TO HEAT.
BUILT TO LAST.

GAS

FIREPLACE INSERTS





Enviro

HEARTH PRODUCTS



Designed to heat. Built to Last.

For over 25 years, unsurpassed quality and craftsmanship have made us an industry leader in innovative heating systems. Design, functionality, and efficiency merge to create exceptional products that will exceed all expectations. Whether time-honored traditional or bold and modern, our dynamic range of products will compliment any home décor. With a complete line of fireplace inserts, zero-clearance fireplaces, and freestanding stoves, we have the perfect solution for your heating requirements. We won't just meet your expectations; we'll exceed them...

A modern living room with a fireplace as the focal point. The fireplace has a dark, powder-coated surround and a log burner insert with a fire burning inside. The mantel is a wide, textured grey stone. In front of the fireplace is a low, wide wooden coffee table with a white bowl, a dark bowl, and two vases. The room is furnished with light grey ottomans and a patterned rug. A modern chandelier with four lights hangs from the ceiling.

Designed to heat.
Built to last.



Q1 Fireplace Insert – Minimal Surround Glass Burner with Porcelain Liner



Q1 Fireplace Insert – Contemporary Surround With Filler Panel, Log Burner with Brick Liner



Q1 Fireplace Insert – Modern Surround, Coal Burner, Ledgestone Liner

Design Features

- Clean Face Look — No Louvers
- SIT Valve 820 (Standing Pilot)
- SIT Valve 885 (IPI System with Remote)
- Glass Size: 17½" x 19¾", 345½in²
- High Definition Log Set
- 150 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty
- Quick Access Valve Controls

Available Options

- Remote or Thermostat Control
- Coal, or Log Set Burner
- Liners Options:
 - Brick Liner with Logs
 - Porcelain Liner with Glass or Logs
 - Ledgestone Liner
- Surround Options:
 - Minimal Surround
 - 4-Sided Minimal Surround
 - Modern Stainless Steel Surround
 - Trimmable Surround

Insert Specifications

BTU Maximum Input - NG	20,000 BTU
BTU Minimum Output*	7,900 BTU
Heating Area	1,000 ft ²
Steady State Efficiency	76%
Glass Size	345½ in ²
Minimum Install Dim.	HEIGHT 27½" WIDTH 20¼" DEPTH 14¼"

* Turn down based on AFUE efficiencies on low



High Definition Log Set



Coal Burner



Tray Burner with Crushed Glass



E20 with Keystone Surround Panel, Porcelain Liner, Black Glass



E20 with Contemporary Surround Panel, Fluted Liner, and Log Set



E20 with Extruded Surround Panel, Brick Liner, and Log Set

Design Features

- Clean Face Look — No Louvers
- Cast Iron Heat Exchanger
- SIT Valve 820 (Standing Pilot)
- Glass Size: 21 $\frac{3}{4}$ " x 13 $\frac{3}{4}$ ", 300 in²
- High Definition Log Set
- Easy Access Burner Switch
- Stainless Steel Burner
- 110 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty

Available Options

- Hearth Shelf
- Remote or Thermostat Control
- Glass or Log Set Burner
- Liner Options:
 - Brick or Fluted Liner with Logs
 - Black Enameled Liner with Glass or Logs
- Surround Options:
 - Keystone Surround
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Extruded Surround
 - Trimmable Surround

Insert Specifications

BTU Maximum Input - NG	23,000 BTU
BTU Minimum Output*	8,000 BTU
Heating Area	1,200 ft ²
Steady State Efficiency	81%
Glass Size	300 in ²
Minimum Install Dims.	HEIGHT 18 $\frac{1}{4}$ " WIDTH 24 $\frac{1}{4}$ " DEPTH 14"

* Turn down based on AFUE efficiencies on low



Extruded Surround Panel



Black Glass with Decorative Stones



Ceramic Brick Liner with Log Set



E30 with 4 Sided Extruded Surround Panel, Porcelain Liner, and Clear Glass



E30 with Contemporary Surround Panel, Brick Liner, and Log Set



E30 with Keystone Surround Panel, Brick Liner, Log Set, and Hearth Shelf

Design Features

- Clean Face Look — No Louvers
- SIT Valve 820 (Standing Pilot)
- SIT Valve 885 (IPI System with Remote)
- Glass Size: 26¼" x 16", 420 in²
- High Definition Log Set
- Easy Access Burner Switch
- Stainless Steel Burner
- 150 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty

Available Options

- Hearth Shelf
- Remote or Thermostat Control
- Glass or Log Set Burners
- Liners Options:
 - Brick Liner with Logs
 - Black Enameled Liner with Glass or Logs
 - Ledgerstone Liner
- Surround Options:
 - Keystone Surround
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Extruded Surround
 - Trimmable Surround

Insert Specifications

BTU Maximum Input - NG	33,000 BTU
BTU Minimum Output*	10,000 BTU
Heating Area	1,700 ft ²
Steady State Efficiency	81%
Glass Size	300 in ²
Minimum Install Dims.	HEIGHT 19 7/8" WIDTH 27 7/8" DEPTH 16"

* Turn down based on AFUE efficiencies on low



Ceramic Brick Liner with Log Set



Keystone Surround Panel



Black Glass Fire Bed



E33 with Keystone Surround Panel, Porcelain Liner, and Log Set



E33 with Extruded Surround Panel, Brick Liner, and Log Set



E33 with Contemporary Surround Panel, Porcelain Liner with Black Glass

Design Features

- Clean Face Look — No Louvers
- SIT Valve 820 (Standing Pilot)
- SIT Valve 885 (IPI System with Remote)
- Glass Size: 28½" x 18", 513 in²
- High Definition Log Set
- Easy Access Burner Switch
- Stainless Steel Burner
- 150 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty
- Quick Access Valve Controls
Contemporary and Extruded Panels Only

Available Options

- Hearth Shelf
- Remote or Thermostat Control
- Glass, Log Set, or Rock Burner
- Liners Options:
 - Brick Liner with Logs
 - Black Enameled Liner with Glass or Logs
 - Ledgestone Liner
- Surround Options:
 - Keystone Surround
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Contemporary Surround
 - Trimmable Surround

Insert Specifications

BTU Maximum Input - NG	34,000 BTU		
BTU Minimum Output*	11,000 BTU		
Heating Area	1,800 ft ²		
Steady State Efficiency	82%		
Glass Size	512 in ²		
Minimum Install Dims.	HEIGHT 20"	WIDTH 32"	DEPTH 18¾"

* Turn down based on AFUE efficiencies on low



Clear Glass with Tray Burner



Clear View Safety Screen



Log Set on Cast Iron Grate Bed



E44 with Contemporary Surround, LedgeStone Liner, and Log Set

Design Features

- Clean Face Look — No Louvers
- SIT Valve 885 (IPI System with Remote)
- Glass Size: 30 5/8" x 22 1/4", 681 in²
- High Definition Log Set
- Remote Control Included
- Stainless Steel Burner
- 150 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty

Available Options

- Hearth Shelf
- Thermostat Control
- Liners Options:
 - Brick Liner
 - Black Enameled Liner
 - LedgeStone Liner
- Surround Options:
 - Keystone Surround
 - Cape Cod Doors
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Extruded Surround
 - Trimmable Surround

Insert Specifications

BTU Maximum Input - NG	42,000 BTU		
BTU Minimum Output*	13,000 BTU		
Heating Area	2,300 ft ²		
Steady State Efficiency	82%		
Glass Size	681 in ²		
Minimum Install Dims.	HEIGHT 24"	WIDTH 34½"	DEPTH 20⅞"

* Turn down based on AFUE efficiencies on low



Cape Cod Doors with Safety Screen



Hearth Shelf



Log Set with LedgeStone Liner

Unit Specifications

Performance


	Q1 VERTICAL GAS INSERT	E20 SMALL GAS INSERT	E30 MEDIUM GAS INSERT	E33 LARGE GAS INSERT	E44 EXTRA LARGE GAS INSERT
BTU Maximum input - NG / LP	20,000 / 18,500	23,000 / 21,300	33,000 / 28,000	34,000 / 31,000	42,000 / 36,000
Turn Down* - Valve 820 / Valve 885	50% / 33%	50% / N/A	50% / 33%	50% / 33%	N/A / 33%
Heat Exchanger	Steel	Cast Iron	Steel	Steel	Steel
SIT Valve 820 (Standing Pilot)	Available	Available	Available	Available	
SIT Valve 885 (IPI)	Available		Available	Available	Available
Efficiency - Steady State**	76%	81%	81%	82%	82%
Efficiency - AFUE	67%	71%	63%	66%	66%
Efficiency - FE rating†	79%	61%	70%	70%	63%
Glass Size	17½" x 19¾", 345½ in²	21¾" x 13¾", 300 in²	26¼" x 16", 420 in²	28½" x 18", 513 in²	30¾" x 22¼", 681 in²
Convection Fan	150 CFM	110 CFM	150 CFM	150 CFM	150 CFM

Installation‡

	Q1 VERTICAL GAS INSERT	E20 SMALL GAS INSERT	E30 MEDIUM GAS INSERT	E33 LARGE GAS INSERT	E44 EXTRA LARGE GAS INSERT
Min. Install Dims.	HEIGHT 27½" WIDTH 20¼" DEPTH 14¼"	HEIGHT 18¼" WIDTH 24¼" DEPTH 14"	HEIGHT 19⅞" WIDTH 27⅞" DEPTH 16"	HEIGHT 20" WIDTH 32" DEPTH 18⅜"	HEIGHT 24" WIDTH 34½" DEPTH 20⅞"
LP Conversion Kit (SP)	Standard	Standard	Standard	Standard	
LP Conversion Kit (IPI)	Optional		Optional	Optional	Optional
Venting (Direct Vent)	3" x 3"	3" x 2"	3" x 3"	3" x 3"	3" x 3"
Weight (lbs)	170 lbs	90 lbs	116 lbs	135 lbs	210 lbs
Wood ZC Fireplace Approved	Standard	Standard	Standard	Standard	Standard
ZC Floor Removal Approved	Standard		Standard	Standard	

Clearance to Combustibles

	Q1	E20	E30	E33	E44
A - center of unit to side wall	16½"	19½"	21"	24"	23½"
B - bottom of unit to bottom of 12" mantle	41"	39¾"	36"	36"	40"
C - unit bottom to max. ¾" combustible facing	35¼"	37½"	30"	30"	40"
D - center of unit to side facing	10"	16½"	22"	23"	23"
E - front of door to edge of floor protection	12"	13"	16"	16"	16"††



* Turn down based on AFUE efficiencies on low.

** Steady state rating based on conventional venting configuration.

† E30 and E33 efficiency based on the P4 measured efficiency rating of the IPI models.

‡ Based on a minimum ½" raised hearth (18" flush).

Available Options

Surround Panels

	Q1 VERTICAL GAS INSERT	E20 SMALL GAS INSERT	E30 MEDIUM GAS INSERT	E33 LARGE GAS INSERT	E44 EXTRA LARGE GAS INSERT
Contemporary Surround	HEIGHT 32" WIDTH 36"	HEIGHT 23.8" WIDTH 35.4"	HEIGHT 25" WIDTH 39.8"	HEIGHT 26.5" WIDTH 44.1"	HEIGHT 30.1" WIDTH 45"
Keystone Surround		23.8"	35.4"	25"	39.8"
Extruded Surround		23.8"	35.4"	25"	39.8"
Trimmable Surround	32"	36"	28.8"	41.8"	38"
Cape Cod Doors					38"
Oversize Contemporary Surround		26.9"	37.4"	29"	39.8"
Oversize Extruded Surround		26.9"	37.4"	29"	39.8"
4-Sided Extruded Surround		29.6"	35.4"	31.4"	39.8"
4-Sided Trimmable Surround		39.5"	41.8"	41.1"	46"
Minimal Surround	26.4"	22.8"			
Modern Surround	30"	30"			

Firebox Liners

	Q1 VERTICAL GAS INSERT	E20 SMALL GAS INSERT	E30 MEDIUM GAS INSERT	E33 LARGE GAS INSERT	E33 LARGE GAS INSERT
Ceramic Brick Liner	✓	✓	✓	✓	✓
Black Enameled Steel Liner	✓	✓	✓	✓	✓
Ceramic Fluted Liner		✓			
Ledgestone Liner	✓		✓	✓	✓

Burner Variations

	Q1 VERTICAL GAS INSERT	E20 SMALL GAS INSERT	E30 MEDIUM GAS INSERT	E33 LARGE GAS INSERT	E33 LARGE GAS INSERT
High Definition Log Set Burner	✓	✓	✓	✓	✓
Glass Burner (Black Glass)	Crushed Glass	Pebble Glass	Pebble Glass		
Coal Burner	✓				
High Definition Rock Set Burner				✓	

Additional Options

	Q1 VERTICAL GAS INSERT	E20 SMALL GAS INSERT	E30 MEDIUM GAS INSERT	E33 LARGE GAS INSERT	E33 LARGE GAS INSERT
Decorative Stones (Glass Tray Burners Only)		✓	✓		
Hearth Shelf (N/A with 4-Sided Surround Panels)	✓	✓	✓	✓	✓
Riser (N/A with 4-Sided Surround Panels)	✓	✓	✓	✓	✓
Programmable Thermostat	✓	✓	✓	✓	✓
Proflame Remote Control	Standard with IPI Optional with 820 Nova	Optional	Standard with IPI Optional with 820 Nova	Standard with IPI Optional with 820 Nova	Standard

Surround Panels



EXTRUDED
Available for the E20, E30, E33, and the E44



CONTEMPORARY
Available for the Q1, E20, E30, E33, and the E44



KEYSTONE
Available for the E20, E30, E33, and the E44



TRIMMABLE
Available for the Q1, E20, E30, E33, and the E44



MINIMAL
Available for the Q1



4-SIDED EXTRUDED
Available for the E20, E30, and the E44



MODERN
Available for the Q1


Design Elements



CERAMIC BRICK LINER
Available for the Q1, E20, E30, E33, and the E44



CERAMIC FLUTED LINER
Available for the E20



BLACK ENAMELED STEEL LINER
Available for the Q1, E20, E30, E33, and the E44



LEDGESTONE LINER
Available for the Q1, E30, E33, and E44



TRAY BURNER WITH GLASS
Beads for the E20, E30 and E33 / Crushed for Q1



HIGH DEFINITION LOG SET
Available for the Q1, E20, E30, E33, and the E44



COAL BURNER
Available for the Q1



HIGH DEFINITION ROCK SET
Available for the E33



HEARTH REMOTE
Available for the Q1, E20, E30, E33, & E44 (IPI only)

ELITE EDITION

SURROUND PANELS

Enhance the look of your Enviro gas fireplace Insert with our new **Elite Edition** Surround Panels. Constructed to draw focus to our impressive flame, these panels offer a variety of finish and design choices to make your E20, E30, or E33 a perfect fit for any decor.



Above Example: E33. Brushed Nickel

BORDERVIEW

Available for the E20, E30 & E33

Brushed Nickel • Brushed Antique Copper • Powder Coated Black



Above Example: E33. Brushed Antique Copper

BORDERVIEW PLUS

Available for the E20, E30 & E33

Brushed Nickel • Brushed Antique Copper • Powder Coated Black



Above Example: E33. Powder Coated Black

MODERN PLUS

Available for the E20, E30 & E33

Brushed Nickel • Brushed Antique Copper • Powder Coated Black



Above Example: E20. Powder Coated Black

EXTRUDED PLUS

Available for the E20, E30 & E33

Powder Coated Black



Above Example: E30. Powder Coated Black

BORDERVIEW PLUS 4S


Available for the E20 & E30


Powder Coated Black

Learn more about our products at

enviro.com

- Detailed Product lineup
- Model Photo Galleries
- Downloadable Manual PDF's
- Unit Comparison Charts
- Youtube Burn Example Videos
- Online Brochures
- Dealer Locator Tool





Manufactured by Sherwood Industries Ltd • Victoria, BC, Canada
enviro.com • info@enviro.com • Printed in Canada, March 2016



Please share and
recycle this brochure