



INFINITE

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE



FRAME & EDGE

BLACK

PEWTER

STYLING







DECORATIVE STONE





DECORATIVE EMBER GLASS



Model	MQRB4436NE	MQRB4436LPE	
	MQRB4436N	MQRB4436LP	
Fuel	Natural Gas	Liquid Propane	
Input (Max)	33,000	33,000	
Input (Min)	22,000	26,000	
Glass Window	Ceramic	Ceramic	
Electronic Ignition	Yes	Yes	
Millivolt	Yes	Yes	
Glass Size	35" W x 15 1/4" H		
Venting	5/7" Kingsman Flex Vent		
FE (P.4.1-02)	60.9% / 59.1%	60.9% / 59.1%	

MQRB5143NE	MQRB5143LPE		
MQRB5143N	MQRB5143LP		
Natural Gas	Liquid Propane		
40,000	40,000		
28,000	31,000		
Ceramic	Ceramic		
Yes	Yes		
Yes	Yes		
42" W x 15	5 1/4" H		
5/7" Kingsman Flex / 5/8" Hard Pipe*			

65.6% / 64%


* with adapter

MQRB6961NE	MQRB6961LPE			
MQRB6961N	MQRB6961LP			
Natural Gas	Liquid Propane			
62,000	62,000			
43,000	48,500			
Ceramic	Ceramic			
Yes Yes				
Yes	Yes			
60" W x 15 1/4" H				
7/10" Kingsman Flex Vent				
51.1% / 51.8% 51.1% / 51.89				



Unit illustrated is a MQRB5143N Infinite Linear Direct Vent Fireplace - Natural Gas, MQRB51BK Single Side Kit, MQRB5143PLB Porcelain Back, MQRB5143PLE Porcelain Liner Ends, MQRB5019SSS Surround Trim - Edge Stainless Steel, with MQRBD3 Driftwood.

WALL SURROUND TRIM KIT



MQRB4436 MQRB5143 MQRB6961

Α	49 ⁷ /8"	56 ⁷ /8"	74 ⁷ /8"
В	37/8"	37/8"	37/8"
С	43/8"	43/8"	43/8"
D	233/4"	233/4"	233/4"
Е	1"	1"	1"
F	23/8"	23/8"	23/8"


MQRB4436 MQRB5143 MQRB6961

G	441/8"	51 ¹ /8"	69 ¹ /8"
Н	1 ¹ /2"	1 ¹ /2"	1 ¹ /2"
1	1 ¹ /2"	1 ¹ /2"	1 ¹ /2"
J	19 ¹ /8"	19 ¹ /8"	19 ¹ /8"
K	1"	1"	1"
L	23/8"	23/8"	23/8"

65.6% / 64%

G	441/8"	51 ¹ /8"	69 ¹ /8"
Н	1 ¹ /2"	1 ¹ /2"	1 ¹ /2"
-1	1 ¹ /2"	1 ¹ /2"	1 ¹ /2"
J	19 ¹ /8"	19 ¹ /8"	19 ¹ /8"
K	1"	1"	1"

PRODUCT DIMENSIONS



MQRB4436 MQRB5143 MQRB6961

A	A 4	41/8"	51 ¹ /8"	69 ¹ /8"
E	3 1	31/4"	131/4"	13 ¹ /4"
(3	31/8"	401/8"	581/8"
) 3	36 ¹ /4"	43 ¹ / ₄ "	61 ¹ / ₄ "
Е	Ē :	39"	46"	64 ¹ /8"
F	=	34"	34"	38"
(3	7 ⁵ /8"	37 ⁵ /8"	45 ³ /8"
ŀ	4 7	7 ⁷ /8"	77/8"	77/8"
- 1		1 ¹ /2"	1 ¹ /2"	1 ¹ /2"
J) :	2 ¹ /2"	21/2"	21/2"
k	(1	6 ¹ /2"	16 ¹ / ₂ "	201/2"
L	. 1	6 ¹ /2"	16 ¹ /2"	201/2"
١	4	8 ¹ /8"	81/8"	121/8"
١	1	2"	2"	27/8"
()	35"	35"	39"

STANDARD FEATURES

- > SIT Valve with Hi/Lo Flame and BTU Adjustment
- > Accent Lighting with Decorative (White) Glass Ember Bed
- > Safety Screen Barrier*



SAFETY SCREEN BARRIER

OPTIONAL FEATURES

Choice of Millivolt or IPI electronic ignition system with battery backup, and cold climate switch

Choose your view – Single Side or See Through for your viewing pleasure.

Surround Trim Kit – Black, Pewter, or Stainless. Available in two sizes - Frame and Edge.

Porcelain Liners

Driftwood - Four Piece Driftwood Set with Four Rocks, Five Piece Driftwood Set or Three Piece Large Driftwood Set (5143/6961 models only)

Rock Sets - Contemporary Collection in Natural or Multi-Colored

Decorative Stones or Ember Chunks

Decorative Ember Glass – Glacier Ice, White, Cobalt (Blue), Black or Bronze Remote Controls - On/Off, Thermostat, Modulating

* All gas fireplaces manufactured as of January 1, 2015 will include a Safety Screen Barrier.

Top Flue Model	Height		Front Width		Depth		
lop i lue Model	Actual	Framing	Actual	Framing	Actual	Framing	
Infinite – MQRB	4436						
Single Sided	37 ⁵ /8"	38"	46"	461/2"	16 ¹ /2"	17"*	
See Through	37 ⁵ /8"	38"	46"	461/2"	16 ¹ /2"	15 ³ /8"*	
Infinite – MQRB!	Infinite – MQRB5143						
Single Sided	37 ⁵ /8"	38"	53"	531/2"	16 ¹ /2"	17"*	
See Through	37 ⁵ /8"	38"	53"	531/2"	16 ¹ /2"	15 ³ /8"*	
Grand Infinite – MQRB6961							
Single Sided	453/8"	451/2"	69 ¹ /8"	711/2"	201/2"	21"*	
See Through	45 ³ /8"	45 ¹ / ₂ "	69 ¹ /8"	711/2"	201/2"	19 ³ /8"*	

* dependant of finishing material used





Kingsman Fireplaces maintains a program of continuous testing, refinement ar improvements of all its products. Some aspect of units shown here may be change at any time without notice or obligatio

Certification: The models are certified for USA and Canada. Certified to: ANSI Z21.50-2014, CSA 2.22-2014, CSA 2.17-M91 (R2009) as a Vented Gas Fireplace.

local Marquis Dealer for clarification. 4000720